


<b>MODEL</b>	<b>HEIGHT (MM)</b>	<b>LENGTH (MM)</b>	<b>CONSTRUCTION</b>	<b>QUANTITY</b>	<b>Weight ( kg:) each</b>	<b>Weight ( kg) total:</b>
Q220422C	400	2200	DC22	3	48,0	144,0
Q220424C	400	2400	DC22	5	54,6	272,8
Q220512C	500	1200	DC22	18	34,2	615,6
Q220512F	500	1200	DC22	29	34,2	991,8
Q220520C	500	2000	DC22	2	57,1	114,2
Q220524F	500	2400	DC22	1	68,5	68,5
Q220613F	600	1300	DC22	5	40,0	200,0
Q220622F	600	2200	DC22	2	79,0	158,0
Q22410KU	400	1000	DC22	2	24,0	48,0
Q22412VSKD	400	1200	DC22	35	30,7	1074,5
Q22413F	400	1300	DC22	14	29,0	406,0
Q22414CTNL	400	1400	DC22	2	31,8	63,6
Q22414CW	400	1400	DC22	1	31,8	31,8
Q22414KD	400	1400	DC22	9	33,6	302,4
Q22414VSKD	400	1400	DC22	13	33,6	436,8
Q22416CTNL	400	1600	DC22	5	41,0	205,0
Q22416KD	400	1600	DC22	2	36,4	72,8
Q22416VSKD	400	1600	DC22	20	41,0	820,0
Q22418CW	400	1800	DC22	30	43,2	1296,0
Q22418KD	400	1800	DC22	30	43,2	1296,0
Q22420CW	400	2000	DC22	14	45,5	637,0
Q22420KD	400	2000	DC22	5	48,0	240,0
Q22420VSKD	400	2000	DC22	2	48,0	96,0
Q22422KD	400	2200	DC22	113	52,8	5966,4
Q22422VSKD	400	2200	DC22	16	56,3	900,8
Q22426KD	400	2600	DC22	8	62,4	499,2
Q22428KD	400	2800	DC22	1	67,2	67,2
Q22430KD	400	3000	DC22	1	68,2	68,2
Q22507CW	500	700	DC22	19	21,0	399,0
Q22507KD	500	700	DC22	45	21,0	945,0
Q22508CW	500	800	DC22	18	24,0	432,0
Q22508VSKD	500	800	DC22	63	25,8	1625,4

<b>MODEL</b>	<b>HEIGHT (MM)</b>	<b>LENGTH (MM)</b>	<b>CONSTRUCTION</b>	<b>QUANTITY</b>	<b>Weight ( kg:) each</b>	<b>Weight ( kg) total:</b>
Q22509CTNL	500	900	DC22	4	29,0	116,0
Q22509CW	500	900	DC22	50	27,0	1350,0
Q22509KD	500	900	DC22	3	27,0	81,0
Q22510CT	500	1000	DC22	1	30,0	30,0
Q22510CTNL	500	1000	DC22	36	32,2	1159,2
Q22510KD	500	1000	DC22	3	30,0	90,0
Q22512CTNL	500	1200	DC22	1	38,6	38,6
Q22514	500	1400	DC22	1	40,0	40,0
Q22514CB	500	1400	DC22	54	42,0	2268,0
Q22514CW	500	1400	DC22	6	42,0	252,0
Q22515KD	500	1500	DC22	62	30,7	1903,4
Q22515VSKD	500	1500	DC22	2	44,0	88,0
Q22520KD	500	2000	DC22	58	59,9	3474,2
Q22522CB	500	2200	DC22	25	65,9	1647,5
Q22522KD	500	2200	DC22	4	65,9	263,6
Q22522VSKD	500	2200	DC22	12	65,9	790,8
Q22524CB	500	2400	DC22	22	71,9	1581,8
Q22524KD	500	2400	DC22	8	71,9	575,2
Q22607KD	600	700	DC22	1	25,2	25,2
Q22607VSKD	600	700	DC22	31	27,2	843,2
Q22608KD	600	800	DC22	31	28,7	889,7
Q22608VSKD	600	800	DC22	32	31,0	992,0
Q22609CB	600	900	DC22	3	31,0	93,0
Q22609CTNL	600	900	DC22	8	35,6	284,8
Q22609CV	600	900	DC22	50	30,5	1525,0
Q22609KD	600	900	DC22	22	32,3	710,6
Q22609VSKD	600	900	DC22	5	32,3	161,5
Q22610CB	600	1000	DC22	10	35,9	359,0
Q22610KDCN	600	1000	DC22	130	35,9	4667,0
Q22611CB	600	1100	DC22	1	37,8	37,8
Q22611CTNL	600	1100	DC22	5	37,8	189,0
Q22611CV	600	1100	DC22	13	36,9	479,7

MODEL	HEIGHT (MM)	LENGTH (MM)	CONSTRUCTION	QUANTITY	Weight ( kg:) each	Weight ( kg) total:
Q22611CW	600	1100	DC22	89	39,5	3515,5
Q22611KD	600	1100	DC22	10	39,5	395,0
Q22612CTNL	600	1200	DC22	5	47,3	236,5
Q22612KDCN	600	1200	DC22	15	38,9	583,5
Q22613CB	600	1300	DC22	34	46,7	1587,8
Q22613CW	600	1300	DC22	21	46,7	980,7
Q22613KD	600	1300	DC22	4	46,7	186,8
Q22614CTNL	600	1400	DC22	3	45,2	135,6
Q22614KDCN	600	1400	DC22	75	45,2	3390,0
Q22614VSKD	600	1400	DC22	65	54,3	3529,5
Q22615CB	600	1500	DC22	38	53,9	2048,2
Q22615KD	600	1500	DC22	54	53,9	2910,6
Q22618KDCN	600	1800	DC22	26	61,6	1601,6
Q22618VSKD	600	1800	DC22	16	69,8	1116,8
Q22620CW	600	2000	DC22	23	71,9	1653,7
Q22620KD	600	2000	DC22	90	71,9	6471,0
Q22622CB	600	2200	DC22	4	79,0	316,0
Q22622KD	600	2200	DC22	5	79,0	395,0
Q22624CB	600	2400	DC22	25	86,2	2155,0
Q22905KD	900	500	DC22	17	26,9	457,3
Q22906CB	900	600	DC22	1	32,3	32,3
nvt	500	1300	DC22	3	37,0	111,0
nvt	500	1400	DC22	1	40,0	40,0

1851	totals	81350,2
------	--------	---------



**Handelonderneming J. Kelders BV**  
[www.kelders-boxmeer.com](http://www.kelders-boxmeer.com)